

Product Use: Foliar application of micronutrients to address trace element deficiencies and improve crop vigor, fruit quality, and yield.

Key Benefits

- Rapid correction of micronutrient deficiencies
- Stimulates vegetative and reproductive growth
- Enhances resistance to abiotic stress
- Increases flowering and fruit quality

Recommended Application Rates

Crop Type	Application Stage	Dilution Ratio	Frequency
Fruit Trees	Fruit-set to ripening	1:800	Every 10–14 days
Vegetables	Vegetative / flowering	1:500	Every 7–10 days
Field Crops	Tillering / heading	1:600	As needed
Ornamentals	Growth & bloom stages	1:1000	As needed
Hydroponics	Continuous nutrient cycle	0.5–1.5 mL/L	Constant feed

Application rates may vary based on crop needs, soil status, and environmental conditions. Consult an agronomist for best results.

Best Practices

- Apply during cooler periods of the day (morning or late afternoon).
- Do not apply before rainfall (<6 hours) or under direct midday sun.
- Perform a small-scale compatibility jar test before mixing with pesticides.
- Shake well before use. Do not store diluted solutions.

RISSO FERTILIZER COMPANY

 **Address:** High-tech Development Zone, Taian City, Shandong Province
  **Postal Code:** 271000
 **TEL:** 86-538-5076188
  **Email:** info@risso-chemical.com
  **Website:** www.risso-chemical.com